

Product data sheet

Specifications



Enclosed circuit breaker, QO,
200A, 2 pole, 120/240VAC, 22kA,
bolt on mount, NEMA 3R

QOM2E2200NRB

 To be discontinued on: Jan 16, 2026

 To be discontinued

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Enclosed circuit breaker
Range of Product	QO
Load Center Type	Main breaker
Frame Size	QOM2

Complementary

Current Rating	200 A
Interrupt Rating	22 kA 120/240 V AC 50/60 Hz
Number of Poles	2P
Number of Phases	1 phase
Enclosure Rating	NEMA 3R outdoor
Breaker Compatibility	Circuit breaker QOM2
Product Certifications	UL Listed
Mounting mode	Bolt-on
Electrical Connection	Lugs
Wire Size	AWG 4...300 kcmil aluminium/copper
Indoor/Outdoor Use	Outdoor
Voltage Rating	120/240 V AC
Ambient Air Temperature for Operation	104 °F (40 °C)
Tightening Torque	6 N.m, AWG 12...AWG 2/0
Cable cross section	0.006...0.1 in² (4...65 mm²) - AWG 12...AWG 2/0
Height	24.6 in (624 mm)
Width	8.7 in (220 mm)
Depth	4.09 in (104 mm)
Product Weight	16.250 lb(US) (7.371 kg)

Ordering and shipping details

Category	US1DE3A00100
Discount Schedule	DE3A
GTIN	785901375302

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.20 in (15.748 cm)
Package 1 Width	9.50 in (24.130 cm)
Package 1 Length	25.30 in (64.262 cm)
Package weight(Lbs)	16.250 lb(US) (7.371 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	42
Package 2 Height	40.00 in (101.600 cm)
Package 2 Width	40.00 in (101.600 cm)
Package 2 Length	48.00 in (121.920 cm)
Package 2 Weight	702.0009 lb(US) (318.422 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	26
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Halogen free plastic parts product
PVC free	Yes

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

