

Product data sheet

Specifications

SQUARE D



Meter socket, horizontal ganged, ringless socket, 360A, 4 position, 4 jaws, 600 VAC max, overhead/underground, no bypass

UT4R2352T

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Meter Socket
Rated Current	360 A
Number of Meter Sockets	4
Number of Phases	1 phase
Rated Operational Voltage	600 V AC

Complementary

Number of Jaws	4 without jaw release
Bypass Type	No bypass
Meter Socket Type	Ringless
Certifications	UL Listed
Enclosure Rating	NEMA 3R
Box Number	18R
Wire Gauge	AWG 1/0...500 kcmil (aluminium) main lugs AWG 1/0...500 kcmil (copper) main lugs AWG 8...250 kcmil (aluminium) branch lugs AWG 8...250 kcmil (copper) branch lugs
Service Feed Location	UG OH
Wiring Configuration	3-wire
Hub Type	A-L ACPL closing plate
Heigh	14.12 in (358.65 mm)
Width	40.62 in (1031.75 mm)
Depth	5.38 in (136.65 mm)

Ordering and shipping details

Category	US10DE400039
Discount Schedule	0DE4
GTIN	785901291251
Returnability	Yes
Country of origin	US

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	41.8 in (106.2 cm)
Package 1 Width	6.0 in (15.2 cm)
Package 1 Length	14.8 in (37.6 cm)
Package weight(Lbs)	47.741 lb(US) (21.655 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No

Image of product / Alternate images

Alternative

