

Product data sheet

Specifications



Air quality sensor, CD2 Series, CO2, temperature, temperature transmitter

CD2E

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range of Product	SpaceLogic
Product or Component Type	Sensor
Type of Measurement	CO2 Temperature
Device Application	Air quality monitoring
Temperature Measurement Accuracy	+/- 0.2 °C
Measurement Temperature	32... 122 °F (0...50 °C)
Range	CD2 Series

Environment

IP Degree of Protection	IP65
-------------------------	------

Ordering and shipping details

GTIN	3606486926024
Returnability	No
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.60 in (11.684 cm)
Package 1 Width	5.75 in (14.605 cm)
Package 1 Length	12.50 in (31.75 cm)
Package 1 Weight	17.4 oz (493 g)
Unit Type of Package 2	S03
Number of Units in Package 2	4
Package 2 Height	11.81 in (30 cm)
Package 2 Width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	4.4 lb(US) (2 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	164
Environmental Disclosure	Product Environmental Profile

Use Better


Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	13db3b86-12c8-4e46-ac4a-00ab4bcc41a5

Use Again

Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.


Technical Illustration

Dimensions



Technical Illustration

Wiring diagram



*For thermistor or RTD models use pins 3 and 4 for connections.

Offer Marketing Illustration

Product benefits / Features



Offer Marketing Illustration

Product benefits / Features

