

Product data sheet

Specifications



Disconnect switch, TeSys VLS, interlock for line changeover (I-0-II), size 2, 30A to 125A devices

VLS8C2

Product availability: Stock - Normally stocked in distribution facility

Main

Range	TeSys
Product or Component Type	Mechanical interlock
Accessory / separate part category	Interlocking accessory
Range compatibility	TeSys TeSys VARIO LS VLS3P
Handle colour	Black
Handle front plate colour	Grey
Rotary handle padlocking	1 padlock 0.2 in (4 mm)
Marking	1 - 0 - 2

Complementary

Fixing Mode	By clips and screws
Tightening torque	4.4 lbf.in (0.5 N.m)
Height	1.8 in (45 mm)
Width	5.5 in (140 mm)
Depth	1.06 in (27 mm)
Product Weight	0.165 lb(US) (0.075 kg)

Environment

Standards	UL98 CSA C22.2 No 4
Product Certifications	cULus EAC
IP Degree of Protection	IP20

Ordering and shipping details

Category	US10CP121734
Discount Schedule	0CP1
GTIN	3606481156860
Returnability	Yes
Country of origin	CZ

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	2.953 in (7.500 cm)
Package 1 Width	2.165 in (5.500 cm)
Package 1 Length	5.709 in (14.500 cm)
Package weight(Lbs)	3.951 oz (112.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	35
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	9.711 lb(US) (4.405 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension	
Repair	No

Use Again

Repack and remanufacture	
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.